

## Data sheets

### Profile self-adhesive

Article number: 4545-1 SK  
Material: PVC/Klebstoff  
Weight: g/m<sup>2</sup>

#### Specialities:

adhesive  
standard: 14 x 3mm  
standard: rolls on core

#### Applications:

light boxes  
Display frame systems

#### Remarks:

NEW:

Application: for built-in fabrics into profile frames. This flat profile will be glued. Ask for our special Glueing-Instruction.

#### Product attributes:



## Data sheets

### Profile self-adhesive

#### Testscores:

technical data:

profile: 100% PVC

glue: modified acrylate

top cover: PP foil

thickness of glue: ca. 0,2mm

temperature resistance: -40°C til +95°C

storage life: stable under favorable storage conditions for at least 12 months

store recommendation: the roles should be in their original packaging protected from light at a temperature between 15 ° C and 24 ° C and a relative humidity of 50%.

Application: for smooth and light rough Polyester fabrics

The maximum fabric thickness depends on the profile width used there.



Kuhleshütte 84

47809 Krefeld

Germany

Phone: +49 (0)2151 65231-0

Fax: +49 (0)2151 65231-25

Email: [info@bergertextil.com](mailto:info@bergertextil.com)

Internet: [www.bergertextil.com](http://www.bergertextil.com)

[www.bergertextil.com](http://www.bergertextil.com)

++ 49 2151 65231-0

The information in this information sheet are based on findings obtained in practice. Because of the high number of factors which can have an effect during handling and application, customers tests will be required. A legally binding guarantee of specific properties is not to be inferred from our technical information. The information given here may be subject to be changed without notice. Berger has not prepared MSDS datasheets for this product which is not subject to the MSDS requirements.

## Data sheets


### Profile self-adhesive



Kuhleshütte 84  
47809 Krefeld  
Germany

Phone: +49 (0)2151 65231-0  
Fax: +49 (0)2151 65231-25  
Email: [info@bergertextil.com](mailto:info@bergertextil.com)  
Internet: [www.bergertextil.com](http://www.bergertextil.com)

### Product image:



[www.bergertextil.com](http://www.bergertextil.com)

++ 49 2151 65231-0

The information in this information sheet are based on findings obtained in practice. Because of the high number of factors which can have an effect during handling and application, customers tests will be required. A legally binding guarantee of specific properties is not to be inferred from our technical information. The information given here may be subject to be changed without notice. Berger has not prepared MSDS datasheets for this product which is not subject to the MSDS requirements.